

# DYNA-BORON™

## 10% Boron Foliar Micronutrient

### INFORMATION

**Dyna-Boron** is a liquid foliar formulation designed to give maximum uptake of boron and as a supplement to aid in the prevention and correction of boron deficiency. For best results use **Dyna-Boron** in conjunction with a balanced fertility program.

### DIRECTIONS FOR USE

**Dyna-Boron** may be used with other micronutrients, foliar fertilizers and pesticides. When mixing with pesticides, dilute **Dyna-Boron** with water before adding buffering agents or pesticides. A jar test should be done prior to mixing with new or unfamiliar combinations of materials to check compatibility. Normal mixing sequence is: **1.** water; **2.** **Dyna-Boron**, micronutrients, fertilizer; **3.** pesticides.

### PRECAUTIONS

Over application or excessive use of boron, or used on crops other than those listed, can result in boron toxicity. This may cause foliar damage or serious crop injury.

### CONTAINER DISPOSAL

Triple rinse empty containers and offer for recycling or dispose of in accordance with federal, state and local authorities.

### GUARANTEED ANALYSIS

Boron (B) ..... 10.00%  
*Derived from: Boric acid*

### CAUTION

#### Keep out of Reach of Children

**Prevention:** Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear chemical splash proof goggles and chemical resistant gloves.

**Response:** Get medical attention/advice if you feel unwell.  
If swallowed: Rinse mouth, Do NOT induce vomiting. Drink 2 glasses of water.

If on skin (or hair): Rinse skin with water/shower. Wash contaminated clothing separate from other laundry before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

**Storage:** Keep container tightly closed when not in use. Store above 32°F

**Keep away from children.** Do not drink. Do not contaminate feed, seed or water supplies.

### APPLICATION RATES

**FOLIAR APPLICATION:** Apply in sufficient water for thorough coverage. Use at least 1 gallon of water for every pint of Dyna-Boron. Early morning or late evening applications give best results.

**Canola, Cotton, Flax:** Apply 1 to 2 quarts per acre in enough water to allow for thorough coverage but not run off. Two to three applications are recommended.

**Corn:** Apply 3 to 4 applications of 1 to 2 quarts per acre in enough water to allow for thorough coverage but not run off.

**Hops, Peanuts:** Apply 1 to 2 quarts per acre in enough water to cover. Repeat monthly if a Boron deficiency is a problem.

**Soybeans, Sugarcane:** Apply 1 to 2 quarts per acre in enough water to allow for thorough coverage but not run off.

**Cucumbers:** Apply 1 to 2 quarts per acre in enough water to allow for thorough coverage but not run off.

**Celery, Melons:** Apply 1 to 2 quarts per acre in enough water to allow for thorough coverage but not run off.

**Peppers, Tomatos, Potatoes:** Apply 1 to 2 quarts per acre in enough water to allow for thorough coverage but not run off.

### CONDITIONS OF SALE

Seller warrants that products will be labeled as required under state and federal law and that they conform to the label description. Any non-conformance must be reported in writing to Seller. Buyer agrees to inspect all products purchased immediately upon delivery.

THE SELLER'S LIABILITY ON THIS WARRANTY IS LIMITED IN AMOUNT TO THE PURCHASE PRICE OF THE PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THIS STATEMENT.

Manufactured By:

**CHEMICAL DYNAMICS, INC.**  
*Our Business Is To Help You Grow*

4206 Business Lane • Plant City, FL 33566 • (813) 752-4950  
Weight per gallon: 11.00 lbs. Store above 32°F F910

Net Weight:

Net Contents: **Specimen Label**

Lot Number: