SAFETY DATA SHEET

Dyna Flo 0-0-25 17S Date Prepared: 3/27/2014 Replaces: All Previous

SECTION 1. IDENTIFICATION

Product Name: Dyna Flo 0-0-25 17S

Synonyms: Potassium Thiosulfate Solution, FLOKTS, KTS
Use: Agricultural, Liquid Micronutrient Fertilizer

Manufacturer: Chemical Dynamics, Inc.

4206 Business Lane Plant City FL 33566

Phone: 813-752-4950 Chemtrec (Emergency) Phone: 800-424-9300

	SE	CTION 2. HAZARDS IDE	NTIFICATION		
Pictogram	Signal Word	Hazard Class	Hazard Category	Hazard Statement	
	WARNING	Skin Irritation Eye Irritation	Cat 2 Cat 2A	Causes skin irritation Causes serious eye irritation	
Precautionary	Prevention: \\	/ash thoroughly after h	andling Wear protective	gloves chemical solas	
Statements:		Prevention: Wash thoroughly after handling. Wear protective gloves, chemical splash proof goggles, and face protection.			
Statements.		Response : If on skin (or hair): Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention.			
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.				
				, 8	
	Ingestion: Rins	Ingestion: Rinse mouth. Drink large amounts of water. Do NOT induce vomiting. Call			
	_	doctor or poison center.			

SECTION 3. COMPOSITION

breathing. Get medical attention for any breathing difficulty.

Storage: Keep container tightly closed.

regulations (See Section 13 of SDS)

Inhalation: Remove to fresh air and keep at rest in a position comfortable for

Disposal: Dispose of contents/containers in accordance with local/regional/national

Material	CAS#	EINECS #	%WT
Potassium Thiosulfate	10294-66-3	233-666-9	50%
Water	7732-18-5	231-791-2	balance

See product label for guaranteed analysis.

	SECTION 4. FIRST AID MEASURES
General:	In case of persisting adverse effects consult a physician. Treat symptomatically.
Ingestion:	Rinse mouth. Drink large amounts of water. Never give anything by mouth to an
	unconscious person. Do NOT induce vomiting. Call doctor or Poison Control.
Skin Contact:	Remove contaminated clothing. Wash with soap and water. Wash contaminated
	clothing before reuse. If skin irritation occurs: Get medical advice/attention.
Inhalation:	Remove to fresh air and keep at rest in a position comfortable for breathing. Get
	medical attention for any breathing difficulty.
Eye Contact:	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Acute Exposure	Irritation to respiratory tract. Irritation or burning sensation to eyes. Prolonged or
Symptoms:	repeated contact with skin may cause skin irritation. Ingestion of product solution
	may cause irritation of the gastrointestinal tract to include nausea, vomiting and
	diarrhea. Potassium thiosulfate is considered to have a low toxicity to humans.
Chronic Exposure	Not available
Symptoms:	

	SECTION 5. FIRE FIGHTING MEASURES
Extinguishing	Not Flammable. Use extinguishing media appropriate to surrounding fire. Use
Media:	water spray to keep containers cool to avoid rupture from thermal expansion.
Specific Hazards:	This product is an aqueous mixture which will not burn. When subjected to
	extremely high temperatures, it may release sulfur and oxides of sulfur and
	potassium sulfate.
Protective	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid
Equipment and	inhaling combustion products.
Precautions for	Fire run-off should be contained to prevent possible environmental damage.
Fire-Fighters:	
NFPA Rating:	Health: 2, Fire: 0, Reactivity: 0

	SECTION 6. ACCIDENTAL RELEASE MEASURES
Precautions:	Isolate area. Keep unnecessary personnel away. Avoid splashing or spraying.
Protective	Impervious gloves (rubber or neoprene), Long sleeved clothing.
Equipment:	Chemical splash-proof goggles, face shield
	Chemical resistant apron and/or rubber boots may be needed.
Containment:	Stop flow of material if safe to do so. Dike area with diatomaceous earth or sand
	and maximize recovery.
Clean Up:	Pump into a suitable tank or absorb with diatomaceous earth or sand. Sweep up
	and place into suitable containers for agronomical land application at
	recommended rates or dispose of in accordance with local/regional/national
	regulations (See Section 13 of SDS).

Rev: 3/27/2014 SDS: Dyna Flo 0-0-25 17S Chemical Dynamics, Inc.

	SECTION 7. HANDLING AND STORAGE
Precautions for safe handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Do not eat, drink or use tobacco products when handling this material. Apply product in open areas. Keep away from children and pets. Do not contaminate feed, seed or any water sources. Launder work clothes frequently and separate from other laundry.
Conditions for safe storage:	Store in a well-ventilated, cool, dry place, away where freezing is possible. Do not store combustibles in the area of storage vessels. Keep away from any sources of heat or flame. Store tote and smaller containers out of direct sunlight at moderate temperatures. Keep containers tightly closed when not in use. Do not let product go below 20°F. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Solutions of potassium thiosulfate solution are stored in mild steel. Product solutions have been successfully stored in 304 stainless steel, fiberglass, polypropylene and HD polyethylene. Consult with tank manufacturers to confirm
Incompatibilities:	whether a specific resin is acceptable product storage. Strong oxidizers such as nitrates, nitrites or chlorates can cause explosive mixtures
incompatibilities.	if heated to dryness. Acids will cause the release of sulfur dioxide, a severe respiratory hazard. Potassium thiosulfate solution is not compatible with lead or mercury or their alloys. These materials of construction should not be used in handling systems or storage containers for this product.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION			
Component	Potassium	Not Established	PEL, OSHA
Exposure Limits:	Thiosulfate	Not Established	TWA, ACGIH
	$K_2S_2O_3$	Not Established	IDLH, NIOSH
		Not Established	REL, NIOSH
		Not Established	STEL, NIOSH
Engineering	Provide local exhaust ventilation and wash facilities.		
Controls:			
Personal	Eyes: Chemical splash-proof goggles and face shield.		
Protective	Skin: Impervious gloves (rubber, neoprene or nitrile), long sleeved clothing.		
Equipment:	Chemically resistant apron is recommended.		
	Respiratory: None generally required for ambient air concentrations (i.e. in the		
	open under normal agronomic conditions). A NIOSH/MSHA approved mist		
	respirator should be worn under misting conditions. Respiratory protection may be		
	required in the event of a spill in an enclosed area.		
General:	Eye wash stations and safety shower are recommended.		

Rev: 3/27/2014 SDS: Dyna Flo 0-0-25 17S Chemical Dynamics, Inc.

	SECTION 9. PHYSICAL AND	CHEMICAL PROPERTIES	
Appearance:	Clear, colorless Liquid		
Odor:	Slight sulfur odor	UEL / LEL:	Not Applicable
Odor Threshold:	Not Applicable	Vapor Pressure:	Similar to water
pH:	6.5 to 8.0	Density:	1.46 g/cm ³
Melting/Freezing Point:	Not Determined	Solubility:	Water
Boiling Point:	> 106°C (>222°F)	Log _{ow} :	Not Available
Flash Point:	Not Applicable	Auto Ignition Temp:	Not Applicable
Evaporation Rate:	Similar to water	Decomposition Temp:	Not Available
Flammability (Solid/Gas):	Not Applicable	Viscosity	Not Available
Salt Out Temperature:	~ -9.4°C (-15°F)	1.5005104	1100711UIIIUII
- Cart Cart Temperature:	SECTION 10. STABILIT	Y AND REACTIVITY	
Reactivity:	Stable		
Chemical Stability:	Stable under normal cond	itions	
Possibility of Hazardous	Hazardous polymerization		
Reactions:	Tidzardous porymerization	wiii not occur.	
Conditions to avoid:	High temperatures and fir	e conditions. Elevated tem	nperatures may cause
	High temperatures and fire conditions. Elevated temperatures may cause containers to rupture.		
Incompatible Materials:	Strong oxidizers such as n	itrates, nitrites or chlorate	s can cause explosive
-	_	ess. Acids will cause the re	-
	a severe respiratory hazar	d. Acids can also precipita	te elemental sulfur.
	Potassium thiosulfate solu	ution is not compatible wit	h lead or mercury or
	their alloys. These materia	als of construction should	not be used in handling
	systems or storage contai	ners for this product.	
Hazardous	Heating this product will evolve sulfur dioxide. Heating to dryness will cause		
Decomposition Products:	the production of potassi	um sulfate, sulfur and oxid	es of sulfur. Sulfur
	dioxide is a respiratory ha	zard.	
	SECTION 11. TOXILOGI	CAL INFORMATION	
Acute Toxicity:	LD50 oral (rat) > 2000 mg	/kg (50% basis)	
Likely Routes of	Inhalation, ingestion or sk	in absorption	
Exposure:			
Symptoms and Signs of	Eyes: Contact with the eye	es by product mist or solut	ion may cause irritation
Exposure:	or a burning sensation.		
		ed contact with product m	ist or solution may
		rption is unlikely to occur.	
		oduct solution may cause i	
	gastrointestinal tract to in		
	thiosulfate is considered t	•	
	· ·	roduct mist may cause irri	tation of the nose,
	throat and respiratory tract.		
Chronic Effects:	None known		
Carcinogenetic:	·	mponents are listed by ACC	GIH, OSHA, IARC, NIOSH
	or NTP as carcinogenic.		
Mutagenicity:	Not Available		
Reproductive Toxicity:	Not Available		

SDS: Dyna Flo 0-0-25 17S Chemical Dynamics, Inc.

Rev: 3/27/2014

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity:	Avoid releasing product into streams, rivers or lakes due to potential	
	adverse effects on aquatic species.	
Other Adverse Effects:	Not harmful to ozone layer	
Ecotoxicity:	Static acute 96 hour-LC ₅₀ for sheepshead minnow is > 1,000 mg/L. Static acute 96 hour-LC ₅₀ for mysid shrimp is 89 mg/L.	

SECTION 13. DISPOSAL CONSIDERATIONS		
General Information: None		
Disposal Instructions: Agronomical land application at recommended rates or dispose of in		
accordance with local/regional/national regulations. Containers can be		
	triple rinsed and offered for recycling.	

SECTION 14. TRANSPORT INFORMATION			
This material is not hazard	This material is not hazardous as defined by 49 CFR 172.101 by the US Department of Transportation		
Proper Shipping Name:	Proper Shipping Name: Potassium Thiosulfate Solution		
Hazard Class:	Not Applicable		
UN Identification #:	Not Applicable		
Packing Group:	Not Applicable		
Required Label(s):	Not Applicable		
Emergency Response	Not Applicable		
Guide Number:			
Marine Pollutant:	No		

	SECTION 15. REGULATORY INFORMATION		
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.		
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.		
United States – SARA Hazard Category:	This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories: Fire – No, Pressure – No, Acute – Yes, Chronic – No, Reactive – No		
SARA Title III	This product contains the following substances subject to the reporting		
Information:	requirements of Title III (EPCRA) of the Superfund Amendments and		
	Reauthorization Act of 1986 and 40 CFR Part 372:		
Potassium Thiosulfate	CERCLA RQ (pounds): No		
CAS No. 10294-66-3	SARA Reporting, 302: No		
	SARA Reporting, 304: No		
	SARA Reporting, 313: No		
Federal Insecticide,	This product is not a pesticide.		
Fungicide, and			
Rodenticide Act			
State Regulations:	Other state regulations may apply. Check individual state requirements.		

SDS: Dyna Flo 0-0-25 17S Chemical Dynamics, Inc.

Rev: 3/27/2014

SECTION 16. OTHER INFORMATION

Date of Revision:	3/27/2014, revision prepared in accordance with 29 CFR 1910.1200
	Appendix D to meet Global Harmonization Standards.
Disclaimer:	The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other
	materials. This information is based on data believed to be accurate and
	reliable as of the date hereof. It is intended for use by persons possessing
	technical knowledge at their own discretion and risk. Because safety
	standards and regulations are subject to change and because Chemical
	Dynamics, Inc. has no continuing control over the material, those handling,
	storing or using the material should satisfy themselves that they have
	current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state
	and local law. No warranty, expressed or implied, and no liability is assumed
	by Chemical Dynamics, Inc. in conjunction with the use of this information.
	Nothing herein is to be construed as a recommendation to infringe any
	patents.

SDS: Dyna Flo 0-0-25 17S Chemical Dynamics, Inc.

Rev: 3/27/2014