		SAFETY DATA SHEET		
Dyna Flo 3-0-6 Date Prepared: 7/10/2017 Replaces: All Previous				
SECTION 1. IDENTIFICATION				
Product Name:		Dyna Flo 3-0-6		
Synonyms:		MAC306X		
Use:		Agricultural, Liquid Ferti	lizer	
Manufacturer:		Chemical Dynamics, Inc.		
		4206 Business Lane		
		Plant City FL 33566		
Phone:		813-752-4950		
Chemtrec (Emerg	gency) Phone:	800-424-9300		
	SEC	TION 2. HAZARDS IDENTIFIC	CATION	
Pictogram	Signal Word	Hazard Class	Hazard Category	Hazard Statement
$\mathbf{\nabla}$		STOT: SE	Cat 3	May cause respirate irritation
Precautionary Statements:	Prevention: Avoid breathing dusts, mists or sprays. Wear protective gloves, chemical splash proof goggles and face protection. Wash thoroughly after handling. Use only outdoors or in a well ventilated place. Response: If on skin: Wash with plenty of water. If skin irritation occurs, get medical attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists, seek medical attention. If Inhaled: Remove person to fresh air and keep comfortable for breathing. Call poison center or doctor if you feel unwell. If Swallowed: Rinse mouth. Drink 2 glasses of water. Call poison center or doctor. Absorb spillage to prevent material damage. Storage: Store in corrosive resistant container (polypropylene or polyethylene, See Section 7 of SDS). Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Containers may be triple rinsed and offered for recycling.			

Material	CAS #	EINECS #	%WT
Sodium Nitrate	7631-99-4	231-554-3	17-20%
Potassium Sulfate	7778-80-5	231-915-5	Proprietary blend of
Water	7732-18-5	231-791-2	materials not classified as hazardous or are below de minimus classification concentrations

	SECTION 4. FIRST AID MEASURES
Ingestion:	Rinse mouth. Do NOT induce vomiting. Drink large amounts of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Skin Contact:	Wash with plenty of water. If skin irritation occurs, get medical attention. Take off contaminated clothing and wash it before reuse.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Seek prompt medical attention.
Eye Contact:	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. If eye irritation persists, seek medical attention.
Acute Exposure Symptoms:	Redness, irritation, burning to exposed skin and eyes. Ingestion may lead to gastrointestinal disturbances such as abdominal cramps, vomiting, bloody diarrhea, weakness.
Chronic Exposure Symptoms:	Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.

SECTION 5. FIRE FIGHTING MEASURES		
Extinguishing This product is non-flammable. Use appropriate media for surrounding fire. Cool		
Media:	containers with water spray to avoid rupture due to thermal expansion.	
Specific Hazards:	This product is an aqueous mixture and is not flammable. If evaporated to dryness, the solid residue may behave as an oxidizer. If material is exposed to prolonged heat in a fire, material may release acrid compounds, oxides of nitrogen, potassium, and sulfur. For safety, avoid water spray with full jet to prevent spread of product.	
PPE & Precautions	Wear self-contained breathing apparatus (SCBA) and full protective gear. Avoid	
for Fire-Fighters:	inhaling combustion products.	
	Fire run-off should be contained to prevent possible environmental damage.	
NFPA Rating:	Health: 1, Fire: 0, Reactivity: 0	

SECTION 6. ACCIDENTAL RELEASE MEASURES				
Precautions:	Isolate area. Keep un no touch or walk thro		el away. Avoid splashing or spraying. Do al.	
Protective	Impervious gloves (rubber, neoprene or nitrile), Long sleeved clothing.			
Equipment:	Chemical splash-proof goggles, face shield			
			boots may be needed.	
Containment:			ke area with diatomaceous earth or sand	
		•	into sawdust or other combustible	
		•	g drains or open bodies of water. Any	
			ect to reporting requirements.	
Clean Up:			n diatomaceous earth or sand. Sweep up	
			ronomical land application at	
			ordance with local/regional/national	
	regulations (See Sect	-		
T	-	7. HANDLING AND		
Precautions for			t with skin and eyes. Avoid inhalation of	
safe handling:			obacco products when handling this	
			ventilated areas. Keep away from	
			feed, seed or any water sources. Launder	
	work clothes frequer			
Conditions for	Store in a well-ventilated, cool, dry place, away from direct sunlight, sources of			
safe storage:	intense heat, or where freezing is possible. Do not store on wood floors. Keep containers tightly closed when not in use. Do not let product go below 35°F.			
	Inspect all incoming containers before storage, to ensure containers are			
	properly labeled and not damaged. Store in original container. Bulk shipments			
		-	-	
	can be stored in HD polyethylene, polypropylene, fiberglass or 316L stainless steel.			
Incompatibilities:	Flammable and combustible materials, strong reducing agents and bases (such			
			red metals, cyanide compounds, active	
			away from intense heat or fire. Not	
		•	and their alloys (e.g. brass, bronze,	
			uld not be used in fittings, piping or	
	storage tanks handlin			
	SECTION 8. EXPOSUR	E CONTROLS / PER	SONAL PROTECTION	
Component	Sodium Nitrate &	Not Established	PEL, OSHA	
Exposure Limits:	Potassium Sulfate	Not Established	TWA, ACGIH	
		Not Established	IDLH, NIOSH	
		Not Established	REL, NIOSH	
		Not Established	STEL, NIOSH	
Engineering	Provide local exhaust	t ventilation and wa	sh facilities. Eye wash stations and	
Controls:	safety showers requi			
Personal	Eyes: Chemical splas			
Protective			ne or nitrile), long sleeved clothing.	
Equipment:	Chemically resistant	apron is recommen	ded.	

Respiratory: None required for ambient air concentrations (i.e. in the open
under normal agronomic conditions) not exceeding occupational exposure limits.
Respiratory protection may be required in the event of a spill in an enclosed
area. Wear NIOSH approved respiratory protective equipment when vapor or
mists may exist as well as a chemical suit.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Clear liquid		
Odor:	None	UEL / LEL:	Not Applicable
Odor Threshold:	Not Available	Vapor Pressure:	Not Available
pH:	7 to 9	Density:	1.24 to 1.25 g/cm ³
Melting/Freezing Point:	< 0°C (32°F)	Solubility:	Water
Boiling Point:	> 100°C (212°F)	Log _{ow} :	Not Available
Flash Point:	Not Applicable	Auto Ignition Temp:	Not Applicable
Evaporation Rate:	Similar to water	Decomposition Temp:	Not Available
Flammability (Solid/Gas):	Not Applicable	Viscosity	Not Available

	SECTION 10. STABILITY AND REACTIVITY
Reactivity:	Product may act as an oxidizer if evaporated to dryness
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous	Hazardous polymerization will not occur.
Reactions:	
Conditions to avoid:	Avoid exposure to extreme temperatures, contact with incompatible
	chemicals, and all contact with combustible materials.
Incompatible Materials:	Strong bases (e.g. aqua ammonia), active metals (e.g., sodium,
	potassium), cyanide compounds, flammable and combustible materials,
	strong reducing agents, finely powdered metals. May be corrosive to
	copper, aluminum, zinc and their alloys (e.g. brass, bronze, galvanized
	metals). These materials should not be used in fittings, piping or storage
	tanks handling this product.
Hazardous	Oxides of nitrogen, potassium, and sulfur
Decomposition	
Products:	

SECTION 11. TOXILOGICAL INFORMATION		
Acute Toxicity:	Sodium Nitrate	
(100% basis)	LD50 oral (rat): >2000 mg/kg	
	Potassium Sulfate	
	LD50 oral (rat): 6600 mg/kg	
Likely Routes of	Inhalation of mist, eye, and skin contact.	
Exposure:		
Symptoms and Signs of	Eves: cause irritation, pain, reddening, and may result in blindness	
Exposure:	depending on the duration.	
	Skin: Depending on the duration of contact, symptoms will include	
	reddening, discomfort, irritation, ulceration and burns. Effects may be	
	delayed.	
	Ingestion: Irritating to gastrointestinal tract. Abdominal pain, burning	
	sensation, upset stomach, abdominal cramps, vomiting, bloody diarrhea	
	and weakness may occur. The nitrate component may reduce the bloods	
	ability to transport oxygen causing headache, fatigue, dizziness and blue	
	lips and skin (methemoglobinemia). Symptoms may be delayed.	
	Inhalation: Can cause eye, nose, throat, and respiratory irritation or	
	coughing, burns.	
Chronic Effects:	Prolonged and/or repeated skin contact with this product may cause	
	irritation/dermatitis.	
Carcinogenetic:	None of this product's components are listed by ACGIH, OSHA, NIOSH or	
	NTP as carcinogenic.	
	IARC: 2A Probably carcinogenic to humans (Nitrates (ingested) under	
	conditions that result in endogenous nitrosation)	
Mutagenicity:	Not Available	
Reproductive Toxicity:	Not Available	

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity:	In high concentrations, this product may be harmful to both terrestrial and aquatic plant and animal life.	
Ecotoxicity:	Sodium Nitrate LC50 (48 hr) Daphnia magna (Water flea): 3,581,000 mg/L. Freshwater; static LC50 (96 hr) Lepomis macrochirus (bluegill): 3,247,000 mg/L. Freshwater; static Potassium Sulfate EC50 (48 hr) Daphnia manga (water flea): 720,000 mg/L. Freshwater; static LC50 (96 hr) Lepomis macrochirus (bluegill): 3,550,000 mg/L. Freshwater; static	

SECTION 13. DISPOSAL CONSIDERATIONS		
General Information:	As packaged, this product is a D001 ignitable waste per 40 CFR 261; applicable to wastes containing this product.	
Disposal Instructions:	Agronomical land application at recommended rates or dispose of in accordance with local/regional/national regulations. Container contents should be completely used and the containers triple rinsed prior to discard. Rinsed containers may be offered for recycling.	

SECTION 14. TRANSPORT INFORMATION

This material is not hazardous as defined by 49 CFR 172.101 by the US Department of			
Transportation	Transportation		
Proper Shipping Name:	Not Applicable		
Hazard Class:	Not Applicable		
UN Identification #:	Not Applicable		
Packing Group:	Not Applicable		
Required Label(s):	Not Applicable		
Emergency Response	Not Applicable		
Guide Number:			
Marine Pollutant:	No		

SECTION 15. REGULATORY INFORMATION	
TSCA Inventory Status	All intentional ingredients listed on the TSCA inventory.
DSCL (EEC) Status	All intentional ingredients listed on the DSCL inventory.
United States – SARA Hazard Category:	This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories: Fire – No, Pressure – No, Acute – Yes, Chronic – No, Reactive – No
SARA Title III	This product contains the following substances subject to the reporting
Information:	requirements of Title III (EPCRA) of the Superfund Amendments and
	Reauthorization Act of 1986 and 40 CFR Part 372:
Sodium Nitrate	CERCLA RQ (pounds): No
	SARA Reporting, 302: No
	SARA Reporting, 304: No
	SARA Reporting, 313: 1.0 % de minimis concentration (Chemical Category
	N511, Water Dissociable Nitrate)
Potassium Sulfate	CERCLA RQ (pounds): No
	SARA Reporting, 302: No
	SARA Reporting, 304: No
	SARA Reporting, 313: No
Federal Insecticide,	This product is not a pesticide.
Fungicide, and	
Rodenticide Act	
State Regulations:	Other state regulations may apply. Check individual state requirements.

SECTION 16. OTHER INFORMATION	
Date of Revision:	7/10/2017, revision prepared in accordance with 29 CFR 1910.1200
	Appendix D to meet Global Harmonization Standards.
Disclaimer:	The information contained in this SDS refers only to the specific material
	designated and does not relate to any process or use with any other
	materials. This information is based on data believed to be accurate and
	reliable as of the date hereof. It is intended for use by persons possessing
	technical knowledge at their own discretion and risk. Because safety
	standards and regulations are subject to change and because Chemical
	Dynamics, Inc. has no continuing control over the material, those
	handling, storing or using the material should satisfy themselves that they
	have current information regarding the particular way the material is
	handled, stored or used and that the same is done in accordance with
	federal, state and local law. No warranty, expressed or implied, and no
	liability is assumed by Chemical Dynamics, Inc. in conjunction with the use
	of this information. Nothing herein is to be construed as a
	recommendation to infringe any patents.